



TAF7 (formerly TAFII55) Monoclonal Antibody

Cat No: G01087 - 100 µL

General Data

Shipping:	wet ice
Formulation:	Liquid Ascite, does not contain any preservative therefore avoid repeat freezing and thawing cycles
Host:	Mouse
Antigen:	recombinant human TAF7 protein.
Clone:	2C7
Isotype:	IgG1, κ



Application(s):	ELISA
	Western Blot
	Immunoprecipitation
	Immunocytochemistry
	Recommended dilutions: 1/500-1/5000

Specificity: human and mouse TAF7

Scientific Literature

Lavigne A.C., Mengus G., May M., Dubrovskaya V., Wurtz J.-M., Tora L., Chambon P. and Davidson I. (1996). Multiple interactions between hTAFII55 and other TFIID subunits. Requirements for the formation of stable ternary complexes between hTAFII55 and the TATA-binding protein. *J. Biol. Chem.*, 271, 19774-19780

Lavigne AC*, Mengus G*, Gangloff YG, Wurtz JM, Davidson I. Human TAF II 55 interacts with the vitamin D(3) and thyroid hormone receptors and with derivatives of the retinoid X receptor that have altered transactivation properties. *Mol Cell Biol.* 1999, 19, 5486-94.* equal first authors.

FP/22/24

For research laboratory use only – Not for human diagnostic use.

Buyers agree to purchase the material subject to Purchasing Terms that can be found on our website. Seek appropriate training to safely handle this product under normal conditions. Use the recommended personal protective equipment to prevent chemical exposures.

Bertin Bioreagent does not make any other warranty or representation whatsoever whether expressed or implied, with respect to these products. In no event will Bertin Bioreagent be liable for incidental, consequential or punitive damages.

Contact Bertin Bioreagent

Parc d'Activités du Pas du Lac
10 bis avenue Ampère
78180 Montigny le Bretonneux - France
Tel.: +33 (0)139 306 036

<https://www.bertin-bioreagent.com/pa206/contact-us>
<https://www.bertin-bioreagent.com>